Brain Research, 502 (1989) 410–412
Elsevier

Author Index

Agnati, L.F., see Tanganelli, S., 319
Aitken, D.M., see Ridley, R.M., 306
Allerton, C.A., Smith, J.A.M., Hunter, J.C., Hill, R.G. and Hughes, J., Correlation of ontogeny with function of [^{3}H]U69593 labelled κ opioid binding sites in the rat spinal cord, 149
Alvinerie, M., see Gué, M., 143
Aoki, E., Semba, R. and Kashiwamata, S., When does GABA-like immunoreactivity appear in the rat cerebellar GABAergic neurons?, 245
Azmitia, E.C., see Segal, M., 67

Baker, H.F., see Ridley, R.M., 306
Barish, M.E., see Sands, S.B., 375
Bennett, M.V.L., see Cappell, M.S., 258
Bennett, M.V.L., see Cappell, M.S., 266
Benoist, J.M., see Guilbaud, G., 187
Besser, G.M., see Tsagarakis, S., 167
Bialik, R.J., Smythe, J.W., Sardelis, M. and Roberts, D.C.S., Adrenal demedullation blocks and brain norepinephrine depletion potentiates the hyperglycemic response to a variety of stressors, 88
Bloom, S.R., see Kreymann, B., 325
Bonsall, R.W., see Michael, R.P., 11
Bowling, D.B., Evidence for sublaminar organization of the cells of origin of the geniculo-striate pathway in the cat: a novel method for cortical deposition of HRP, 180
Buéno, L., see Gué, M., 143
Burnet, P., see Kreymann, B., 325

Canedo, A. and Lamas, J.A., Rubrospinal tract of the cat: superposition of antidromic responses and changes in axonal excitability following orthodromic activity, 28
Cappell, M.S., Spray, D.C., Susswein, A.J. and Bennett, M.V.L., Neuronal analysis of pharyngeal peristalsis in the gastropod *Navanax* in terms of identified motoneurons innervating identified muscle bands. I. Muscle band identifiability, 258
Cappell, M.S., Spray, D.C., Susswein, A.J. and Bennett, M.V.L., Neuronal analysis of pharyngeal peristalsis in the gastropod *Navanax* in terms of identified motoneurons innervating identified muscle bands. II. Radial and circumferential motor fields, 266
Chechetto, D.F., Wilson, J.X., Smith, K.E., Wolski, D., Silver, M.D. and Hachinski, V.C., Autonomic and myocardial changes in middle cerebral artery occlusion: stroke models in the rat, 296
Champagnat, J., see Jacquin, T., 214
Cheetham, S.C., Crompton, M.R., Czudek, C., Horton, R.W., Katona, C.L.E. and Reynolds, G.P., Serotonin concentrations and turnover in brains of depressed suicides, 332
Chesnut, T.J. and Swann, J.W., Disinhibitory actions of the $GABA_A$ agonist muscimol in immature hippocampus, 365
Clayworth, C.C., see Knight, R.T., 109
Collins, F. and Lile, J.D., The role of dihydropyridine-sensitive voltage-gated calcium channels in potassium-mediated neuronal survival, 99
Crill, W.E., see Nishimura, Y., 127
Crompton, M.R., see Cheetham, S.C., 332
Czudek, C., see Cheetham, S.C., 332

Delrée, P., see Leprince, P., 21
Demmert, G., see Rohmeiss, P., 198
Denavit-Saubié, M., see Jacquin, T., 214
Diani, A.R., see Kreymann, B., 325
Dickenson, A.H., see Poree, L.R., 349
Durcan, M.J., see Hilakivi, L.A., 158

Eaton, M.J. and Moss, R.L., Electrophysiology and pharmacology of neurons of the medial zona incerta: an in vitro slice study, 117
Edgerton, V.R., see Hutchison, D.L., 233
Elfvin, L.-G., Lindh, B., Hökfelt, T. and Terenius, L., An ultrastructural study of dynorphin-immunoreactive nerve fibers and terminals in the celiac-superior mesenteric ganglion of the guinea pig, 341
Eschalier, A., see Guilbaud, G., 187
Eskay, R.L., see Hilakivi, L.A., 158

Fung, S.J., see White, S.R., 205
Fuxe, K., see Tanganelli, S., 319

Gautron, M., see Guilbaud, G., 187
Ghatei, M.A., see Kreymann, B., 325
Gordon, T.R., Kocsis, J.D. and Waxman, S.G., Pharmacological sensitivities of two afterhyperpolarizations in rat optic nerve, 252
Gross, B., see Meiri, H., 401
Grossman, A., see Tsagarakis, S., 167
Gué, M., Alvinerie, M., Junien, J.L. and Buéno, L., Stimulation of κ opiate receptors in intestinal wall affects stress-induced increase of plasma cortisol in dogs, 143
Guilbaud, G., Benoist, J.M., Eschalier, A., Gautron, M. and Kayser, V., Evidence for peripheral serotonergic mechanisms in the early sensitization after carrageenin-induced inflammation: electrophysiological studies in the ventrobasal complex of the rat thalamus using a potent specific antagonist of peripheral 5-HT receptors, 187

Hachinski, V.C., see Cechetto, D.F., 296
Hajós, F., see Schröder, H., 287
Hilakivi, L.A., Lister, R.G., Durcan, M.J., Ota, M., Eskay, R.L., Mefford, I. and Linnoila, M., Behavioral, hormonal and neurochemical characteristics of aggressive α-mice, 158
Hill, R.G., see Allerton, C.A, 149
Hirokawa, N., see Shiomura, Y., 356
Hodgson, J.A., see Hutchison, D.L., 233
Hökfelt, T., see Elfvin, L.-G., 341
Horton, R.W., see Cheetham, S.C., 332
Hughes, J., see Allerton, C.A., 149
Hunter, J.C., see Allerton, C.A., 149
Hutchison, D.L., Roy, R.R., Hodgson, J.A. and Edgerton, V.R., EMG amplitude relationships between the rat soleus and medial gastrocnemius during various motor tasks, 233

Brain Research, 502 (1989) 410–412
Elsevier

Author Index

Agnati, L.F., see Tanganelli, S., 319
Aitken, D.M., see Ridley, R.M., 306
Allerton, C.A., Smith, J.A.M., Hunter, J.C., Hill, R.G. and Hughes, J., Correlation of ontogeny with function of [^{3}H]U69593 labelled κ opioid binding sites in the rat spinal cord, 149
Alvinerie, M., see Gué, M., 143
Aoki, E., Semba, R. and Kashiwamata, S., When does GABA-like immunoreactivity appear in the rat cerebellar GABAergic neurons?, 245
Azmitia, E.C., see Segal, M., 67

Baker, H.F., see Ridley, R.M., 306
Barish, M.E., see Sands, S.B., 375
Bennett, M.V.L., see Cappell, M.S., 258
Bennett, M.V.L., see Cappell, M.S., 266
Benoist, J.M., see Guilbaud, G., 187
Besser, G.M., see Tsagarakis, S., 167
Bialik, R.J., Smythe, J.W., Sardelis, M. and Roberts, D.C.S., Adrenal demedullation blocks and brain norepinephrine depletion potentiates the hyperglycemic response to a variety of stressors, 88
Bloom, S.R., see Kreymann, B., 325
Bonsall, R.W., see Michael, R.P., 11
Bowling, D.B., Evidence for sublaminar organization of the cells of origin of the geniculo-striate pathway in the cat: a novel method for cortical deposition of HRP, 180
Buéno, L., see Gué, M., 143
Burnet, P., see Kreymann, B., 325

Canedo, A. and Lamas, J.A., Rubrospinal tract of the cat: superposition of antidromic responses and changes in axonal excitability following orthodromic activity, 28
Cappell, M.S., Spray, D.C., Susswein, A.J. and Bennett, M.V.L., Neuronal analysis of pharyngeal peristalsis in the gastropod *Navanax* in terms of identified motoneurons innervating identified muscle bands. I. Muscle band identifiability, 258
Cappell, M.S., Spray, D.C., Susswein, A.J. and Bennett, M.V.L., Neuronal analysis of pharyngeal peristalsis in the gastropod *Navanax* in terms of identified motoneurons innervating identified muscle bands. II. Radial and circumferential motor fields, 266
Chechetto, D.F., Wilson, J.X., Smith, K.E., Wolski, D., Silver, M.D. and Hachinski, V.C., Autonomic and myocardial changes in middle cerebral artery occlusion: stroke models in the rat, 296
Champagnat, J., see Jacquin, T., 214
Cheetham, S.C., Crompton, M.R., Czudek, C., Horton, R.W., Katona, C.L.E. and Reynolds, G.P., Serotonin concentrations and turnover in brains of depressed suicides, 332
Chesnut, T.J. and Swann, J.W., Disinhibitory actions of the $GABA_A$ agonist muscimol in immature hippocampus, 365
Clayworth, C.C., see Knight, R.T., 109
Collins, F. and Lile, J.D., The role of dihydropyridine-sensitive voltage-gated calcium channels in potassium-mediated neuronal survival, 99
Crill, W.E., see Nishimura, Y., 127
Crompton, M.R., see Cheetham, S.C., 332
Czudek, C., see Cheetham, S.C., 332

Delrée, P., see Leprince, P., 21
Demmert, G., see Rohmeiss, P., 198
Denavit-Saubié, M., see Jacquin, T., 214
Diani, A.R., see Kreymann, B., 325
Dickenson, A.H., see Poree, L.R., 349
Durcan, M.J., see Hilakivi, L.A., 158

Eaton, M.J. and Moss, R.L., Electrophysiology and pharmacology of neurons of the medial zona incerta: an in vitro slice study, 117
Edgerton, V.R., see Hutchison, D.L., 233
Elfvin, L.-G., Lindh, B., Hökfelt, T. and Terenius, L., An ultrastructural study of dynorphin-immunoreactive nerve fibers and terminals in the celiac-superior mesenteric ganglion of the guinea pig, 341
Eschalier, A., see Guilbaud, G., 187
Eskay, R.L., see Hilakivi, L.A., 158

Fung, S.J., see White, S.R., 205
Fuxe, K., see Tanganelli, S., 319

Gautron, M., see Guilbaud, G., 187
Ghatei, M.A., see Kreymann, B., 325
Gordon, T.R., Kocsis, J.D. and Waxman, S.G., Pharmacological sensitivities of two afterhyperpolarizations in rat optic nerve, 252
Gross, B., see Meiri, H., 401
Grossman, A., see Tsagarakis, S., 167
Gué, M., Alvinerie, M., Junien, J.L. and Buéno, L., Stimulation of κ opiate receptors in intestinal wall affects stress-induced increase of plasma cortisol in dogs, 143
Guilbaud, G., Benoist, J.M., Eschalier, A., Gautron, M. and Kayser, V., Evidence for peripheral serotonergic mechanisms in the early sensitization after carrageenin-induced inflammation: electrophysiological studies in the ventrobasal complex of the rat thalamus using a potent specific antagonist of peripheral 5-HT receptors, 187

Hachinski, V.C., see Cechetto, D.F., 296
Hajós, F., see Schröder, H., 287
Hilakivi, L.A., Lister, R.G., Durcan, M.J., Ota, M., Eskay, R.L., Mefford, I. and Linnoila, M., Behavioral, hormonal and neurochemical characteristics of aggressive α-mice, 158
Hill, R.G., see Allerton, C.A, 149
Hirokawa, N., see Shiomura, Y., 356
Hodgson, J.A., see Hutchison, D.L., 233
Hökfelt, T., see Elfvin, L.-G., 341
Horton, R.W., see Cheetham, S.C., 332
Hughes, J., see Allerton, C.A., 149
Hunter, J.C., see Allerton, C.A., 149
Hutchison, D.L., Roy, R.R., Hodgson, J.A. and Edgerton, V.R., EMG amplitude relationships between the rat soleus and medial gastrocnemius during various motor tasks, 233

Jacquin, T., Denavit-Saubié, M. and Champagnat, J., Substance P and serotonin mutually reverse their excitatory effects in the rat nucleus tractus solitarius, 214
Jafek, B.W., see Rowley III, J.C., 387
Jorgenson, K.L., Kow, L.-M. and Pfaff, D.W., Histamine excites arcuate neurons in vitro through H_1 receptors, 171
Junien, J.L., see Gué, M., 143

Kanse, S., see Kreymann, B., 325
Kashiwamata, S., see Aoki, E., 245
Katona, C.L.E., see Cheetham, S.C., 332
Kayser, V., see Guilbaud, G., 187
Kemmler, J.E., see Sagen, J., 1
Kitchigina, V.F. and Vinogradova, O.S., Functional integration of the rat hippocampus tissue, transplanted into the rabbit septum, 39
Knight, R.T., Scabini, D., Woods, D.L. and Clayworth, C.C., Contributions of temporal-parietal junction to the human auditory P3, 109
Kocsis, J.D., see Gordon, T.R., 252
Kow, L.-M., see Jorgenson, K.L., 171
Kreymann, B., Ghatei, M.A., Burnet, P., Williams, G., Kanse, S., Diani, A.R. and Bloom, S.R., Characterization of glucagon-like peptide-1-(7-36)amide in the hypothalamus, 325
Kurihara, K., see Matsuoka, I., 53

LaHoste, G.J. and Marshall, J.F., Non-additivity of D_2 receptor proliferation induced by dopamine denervation and chronic selective antagonist administration: evidence for quantitative autoradiography indicates a single mechanism of action, 223
Lamas, J.A., see Canedo, A., 28
Lees, G.J., Halothane anaesthesia reverses the neuroprotective effect of ketamine against ibotenic acid toxicity in the rat hippocampus, 280
Lefebvre, P.P., see Leprince, P., 21
Leprince, P., Lefebvre, P.P., Rigo, J.-M., Delrée, P., Rogister, B. and Moonen, G., Cultured astroglia release a neuronotoxic activity that is not related to the excitotoxins, 21
Liebeskind, J.C., see Morgan, M.M., 61
Lile, J.D., see Collins, F., 99
Lindh, B., see Elfvin, L.-G., 341
Linnoila, M., see Hilakivi, L.A., 158
Lister, R.G., see Hilakivi, L.A., 158

Maelicke, A., see Schröder, H., 287
Marshall, J.F., see LaHoste, G.J., 223
Matsuoka, I., Mizuno, N. and Kurihara, K., Cholinergic differentiation of clonal rat pheochromocytoma cells (PC12) induced by retinoic acid: increase of choline acetyltransferase activity and decrease of tyrosine hydroxylase activity, 53
Mefford, I., see Hilakivi, L.A., 158
Meiri, H. and Gross, B., Modification of the Na-dependent action potential in myelinated fibers of rat sciatic nerve exposed to phorbol ester, 401
Michael, R.P., Rees, H.D. and Bonsall, R.W., Sites in the male primate brain at which testosterone acts as an androgen, 11
Miyashita, E. and Tamai, Y., Subcortical connections of frontal 'oculomotor' areas in the cat, 75
Mizuno, N., see Matsuoka, I., 53
Moonen, G., see Leprince, P., 21
Moran, D.T., see Rowley III, J.C., 387
Morgan, M.M., Sohn, J.-H. and Liebeskind, J.C., Stimulation of the periaqueductal gray matter inhibits nociception at the supraspinal as well as spinal level, 61
Moss, R.L., see Eaton, M.J., 117

Nishimura, Y., Schwindt, P.C. and Crill, W.E., Electrical properties of facial motoneurons in brainstem slices from guinea pig, 127

Ota, M., see Hilakivi, L.A., 158

Pfaff, D.W., see Jorgenson, K.L., 171
Poree, L.R., Dickenson, A.H. and Wei, E.T., Corticotropin-releasing factor inhibits the response of trigeminal neurons to noxious heat, 349

Rees, H.D., see Michael, R.P., 11
Rees, L.H., see Tsagarakis, S., 167
Rettig, R., see Rohmeiss, P., 198
Reynolds, G.P., see Cheetham, S.C., 332
Ridley, R.M., Aitken, D.M. and Baker, H.F., Learning about rules but not about reward is impaired following lesions of the cholinergic projection to the hippocampus, 306
Rigo, J.-M., see Leprince, P., 21
Roberts, D.C.S., see Bialik, R.J., 88
Rogister, B., see Leprince, P., 21
Rohmeiss, P., Demmert, G., Rettig, R. and Unger, T., Centrally administered atrial natriuretic factor inhibits central angiotensin-induced natriuresis, 198
Rowley III, J.C., Moran, D.T. and Jafek, B.W., Peroxidase backfills suggest the mammalian olfactory epithelium contains a second morphologically distinct class of bipolar sensory neuron: the microvillar cell, 387
Roy, R.R., see Hutchison, D.L., 233

Sagen, J. and Kemmler, J.E., Increased levels of Met-enkephalin-like-immunoreactivity in the spinal cord CSF of rats with adrenal medullary transplants, 1
Sands, S.B. and Barish, M.E., A quantitative description of excitatory amino acid neurotransmitter responses on cultured embryonic *Xenopus* spinal neurons, 375
Sardelis, M., see Bialik, R.J., 88
Scabini, D., see Knight, R.T., 109
Schröder, H., Zilles, K., Maelicke, A. and Hajós, F., Immunohisto- and cytochemical localization of cortical nicotinic cholinoceptors in rat and man, 287
Schwindt, P.C., see Nishimura, Y., 127
Segal, M., Azmitia, E.C. and Whitaker-Azmitia, P.M., Physiological effects of selective 5-HT_{1a} and 5-HT_{1b} ligands in rat hippocampus: comparison to 5-HT, 67
Semba, R., see Aoki, E., 245
Shiomura, Y. and Hirokawa, N., A novel heat-stable 205 kDa microtubule-associated protein is involved in the neural development of the rat brain, 356
Silver, M.D., see Cechetto, D.F., 296
Smith, J.A.M., see Allerton, C.A., 149
Smith, K.E., see Cechetto, D.F., 296
Smythe, J.W., see Bialik, R.J., 88
Sohn, J.-H., see Morgan, M.M., 61
Spray, D.C., see Cappell, M.S., 258
Spray, D.C., see Cappell, M.S., 266
Susswein, A.J., see Cappell, M.S., 258
Susswein, A.J., see Cappell, M.S., 266
Swann, J.W., see Chesnut, T.J., 365

Tamai, Y., see Miyashita, E., 75
Tanganelli, S., Von Euler, G., Fuxe, K., Agnati, L.F. and Ungerstedt, U., Neurotensin counteracts apomorphine-induced inhibition of dopamine release as studied by microdialysis in rat neostriatum, 319
Terenius, L., see Elfvin, L.-G., 341
Tsagarakis, S., Rees, L.H., Besser, G.M. and Grossman, A., Neuropeptide-Y stimulates CRF-41 release from rat hypothalami in vitro, 167

Unger, T., see Rohmeiss, P., 198
Ungerstedt, U., see Tanganelli, S., 319

Vinogradova, O.S., see Kitchigina, V.F., 39
Von Euler, G., see Tanganelli, S., 319

Waxman, S.G., see Gordon, T.R., 252
Wei, E.T., see Poree, L.R., 349
Whitaker-Azmitia, P.M., see Segal, M., 67
White, S.R. and Fung, S.J., Serotonin depolarizes cat spinal motoneurons in situ and decreases motoneuron afterhyperpolarizing potentials, 205
Williams, G., see Kreymann, B., 325
Wilson, J.X., see Cechetto, D.F., 296
Wolski, D., see Cechetto, D.F., 296
Woods, D.L., see Knight, R.T., 109

Zilles, K., see Schröder, H., 287